


 1101	RG1101	GG17 BEAKER low form						
		With spout and graduations						
	Capacity (ml)	O.D. (mm)	Height (mm)	Price				
	50	42	60					
	100	51	70					
	150	60	80					
	200	65	88					
	250	70	95					
	300	75	102					
	400	80	110					
	500	87	118					
	600	90	125					
	800	100	135					
	1000	106	145					
	2000	132	185					
	3000	152	210					
	5000	170	270					
	10000	230	330					


 1102	RG1102	GG17 BEAKER tall form						
		With spout and graduations						
	Capacity (ml)	O.D. (mm)	Height (mm)	Price				
	50	38	70					
	100	48	80					
	150	54	95					
	250	60	120					
	400	70	130					
	600	80	150					
	800	90	175					
	1000	95	185					
	2000	120	240					
	3000	135	280					

 1103	RG1103	GG17 BEAKER conical						
		With spout						
	Capacity (ml)	O.D. at top (mm)	O.D. at base (mm)	Height (mm)	Price			
	125	34	55	110				
	250	43	70	138				
	500	53	88	156				


 1104	RG1104	GG17 BEAKER dyeing						
	Capacity (ml)	O.D. at top (mm)	O.D. at base (mm)	Height (mm)	Price			
	250	95	65	128				
	400	105	75	138				
	500	53	88	156				

 1106	RG1106	GG17 BEAKER tall form						
		With graduations, without spout						
	Capacity (ml)	O.D. (mm)	Height (mm)	Price				
	50	40	67					
	100	45	88					
	150	53	100					
	250	60	122					
	400	70	138					
	600	80	165					
	800	90	178					
	1000	100	195					

 1111	RG1111	GG17 BOILING FLASK						
		Flat bottom, long narrow neck						
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	Height (mm)	Price			
	50	20	53	100				
	100	21	65	120				
	150	22	76	140				
	200	23	83	150				
	250	25	88	160				
	300	26	92	170				
	500	30	110	200				
	1000	35	140	250				
	2000	40	175	300				
	3000	50	199	370				
	5000	55	235	400				
	10000	60	297	530				
	15000	70	325	580				
	20000	80	370	620				

 1115	RG1115	GG17 BOILING FLASK						
		Round bottom, long neck						
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	Height (mm)	Price			
	50	20	53	100				
	100	21	65	120				
	150	22	76	140				
	200	23	83	150				
	250	25	88	160				
	300	26	92	170				
	500	30	110	200				
	1000	35	140	250				
	2000	46	175	305				
	3000	50	199	380				
	5000	55	235	415				
	10000	65	297	550				
	15000	68	330	600				
	20000	76	370	650				
	30000	95	404	670				
	50000	107	455	700				
	200000	180	750	970				


 1117	RG1117	GG17 BOILING FLASK						
		Round bottom, short neck						
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	Height (mm)	Price			
	250	30	86	120				
	500	40	110	160				
	1000	45	140	200				
	2000	50	175	250				
	3000	55	199	280				
	5000	62	235	335				
	10000	70	297	410				
	15000	75	330	490				
	20000	85	370	540				


 1118	RG1118	GG17 NITROGEN FLASK						
		Round bottom, long neck						
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	Height (mm)	Price			
	50	22	51	200				
	100	22	60	200				
	250	34	81	270				
	500	34	101	300				
	1000	34	126	350				

 1120	RG1120	GG17 BOILING FLASK						
		conical, wide neck,,with gradutions						
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	Height (mm)	Price			
	50	34	51	85				
	100	34	64	105				
	200	50	79	131				
	250	50	85	140				
	300	50	87	156				
	500	50	105	175				
	1000	50	131	220				
	2000	72	153	275				
	3000	106	190	285				

 1121	RG1121	GG17 CONICAL FLASK Erlenmeger						
		With gradutions,						
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	Height (mm)	Price			
	50	22	51	85				
	100	22	64	105				
	150	28	71	120				
	200	34	77	132				
	250	34	85	140				
	300	34	89	153				
	500	34	105	175				
	1000	42	131	220				
	2000	50	166	280				
	3000	50	187	310				
	5000	50	220	365				


 1122	RG1122	GG17 CONICAL FLASK						
		With ground-in glass stopper						
	Capacity (ml)	O.D. of bulb (mm)	Height (mm)	Price				
	50	50	90					
	100	60	108					
	250	83	140					
	500	98	185					
	1000	130	230					


 1123	RG1123	IODINE FLASK						
		Wide spout,with standard ground stopper						
	Capacity (ml)	O.D. of bulb (mm)	Height (mm)	Price				
	50	50	110					
	100	60	114					
	250	83	155					
	500	98	200					


 1131	RG1131	DISTILLING FLASK						
		With side tube						
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	O.D. of Side tube (mm)	Height (mm)	Price		
	125	23	70	7.5	190			
	250	25	88	8	220			
	500	30	100	9	270			
	1000	35	140	10	350			
	2000	46	175	12	410			

 1132	RG1132	DISTILLING FLASK						
		Church						
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	Height (mm)	Price			
	300	22	86	131				
	500	24	102	135				

 1133	RG1133	DISTILLING FLASK						
		Engter						
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	Height (mm)	Price			
	100	17	65	215				
	125	17	69	215				

 1134	RG1134	DISTILLING FLASK						
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	O.D. of Side tube (mm)	Height (mm)	Price		
	250	17	86	100	215			
	For the distillation of gas and fuel oil							

 1135	RG1135	DISTILLING FLASK						
		Ctaissen						
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	O.D. of Side tube (mm)	Height (mm)	Price		
	125	23	70	7.5	190			
	250	25	88	8	220			
	500	30	110	8.5	270			
	1000	36	140	9.5	350			
	2000	46	175	11.5	410			


 1141	RG1141	FLASK						
		Round bottom, with three necks						
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	O.D. of Side tube (mm)	Height (mm)	Price		
	250	26	88	20	140			
	500	30	110	22	175			
	1000	35	140	24	215			
	2000	46	175	28	260			
	5000	56	235	32	355			


 1143	RG1143	FLASK						
		Round bottom, with four necks						
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	O.D. of Side tube (mm)	Height (mm)	Price		
	250	26	88	20	140			
	500	30	110	22	175			
	1000	35	140	24	215			
	2000	46	175	28	260			
	5000	56	235	32	355			

 1161	RG1161	RETORT						
		With ground-in glass stopper						
	Capacity (ml)	O.D. of bulb (mm)	Length of Side neck (mm)	Price				
	125	70	220					
	250	86	225					
	500	105	300					
	1000	130	340					
	2000	170	360					
	5000	228	450					
	10000	300	600					

 1171	RG1171	EVAPORATING DISH						
		Flat bottom,with spout						
		O.D.of top (mm)	Height (mm)	Price				
		60	30					
		90	45					
		120	60					
		150	75					

 1172	RG1172	EVAPORATING DISH						
		Round bottom,with spout						
		O.D.of top (mm)	Height (mm)	Price				
		60	30					
		90	45					
		120	60					
		150	75					


 1173	RG1173	CRYSTALLIZING DISH						
		with spout						
		O.D.of top (mm)	Height (mm)	Price				
		60	40					
		90	45					
		100	50					
		125	63					
		150	75					
		180	90					


 1175	RG1175	WATCH GLASS						
		Diameter (mm)	Price					
		45						
		60						
		70						
		80						
		90						
		100						
		120						
		150						
		180						


 1177	RG1177	PETRI CULTURE DISH						
		Cover dia (mm)	Bottom dia. (mm)	Height (mm)	Price			
		65	60	15				
		82	75	15				
		98	90	18				
		107	100	20				
		130	120	25				
		160	150	30				

 1201	RG1201	DISTILLING TUBE						
		Plain						
		O.D.of tube (mm)	O.D.of Side tube (mm)	Length (mm)	Price			
		15	6	200				

 1202	RG1202	DISTILLING TUBE						
		With one bulb						
	O.D.of.tube (mm)	O.D.of bulb (mm)	Length (mm)	Price				
	(mm)	(mm)	(mm)					

 1203	RG1203	DISTILLING TUBE						
		With two bulbs						
	O.D.of.tube (mm)	O.D.of bulb (mm)	Length (mm)	Price				
	17	40	300					


 1205	RG1205	DISTILLING TUBE						
		With three bulbs						
	O.D.of.tube (mm)	O.D.of bulb (mm)	Length (mm)	Price				
	17	35	400					


 1207	RG1207	DISTILLING TUBE						
		With thorn,Vigreux						
	Length of Vigreux tube (mm)	O.D.of.tube (mm)	O.D.of Side bulb (mm)	Length (mm)	Price			
	250	21	6	410				
	400	23	7	560				
	500	25	8	690				
	600	27	9	790				
	800	30	10	1020				

 1211	RG1211	CONDENSER						
		Air cooling						
	Length of jacket (mm)	O.D.of.tube (mm)	Cooling area (dm ²)	Length (mm)	Price			
	200	11	1.2	450				
	250	11	1.4	500				
	300	11	1.6	570				
	400	12	2.1	670				
	500	13	2.8	800				

 1213	RG1213	CONDENSER Liebig						
		With fused inner tube						
	Length of jacket (mm)	O.D.of Upper tube (mm)	Cooling area (dm ²)	Length (mm)	Price			
	200	18	0.7	350				
	250	18	1	420				
	300	20	1.1	480				
	400	22	1.6	590				
	500	24	2.2	710				
	600	24	2.8	810				
	800	28	4.3	1050				

 1214	RG1214	CONDENSER Allihn						
		With bulbed inner tube						
	Length of jacket (mm)	O.D.of Upper tube (mm)	Cooling area (dm ²)	Length (mm)	Price			
	200	18	1	350				
	250	18	1.5	420				
	300	20	1.8	480				
	400	22	2.7	590				
	500	24	3.7	710				
	600	24	4.9	800				
	800	28	7.6	1050				
	1000	28	10	1250				
	1200	33	12.7	1360				
	1500	33	17	1720				


 1215	RG1215	CONDENSER Graham						
		With coiled inner tube						
	Length of jacket (mm)	O.D.of Upper tube (mm)	Cooling area (dm ²)	Length (mm)	Price			
	200	18	2.3	350				
	250	20	2.7	420				
	300	20	3.3	480				
	400	22	4.7	590				
	500	24	7	710				
	600	24	8.2	810				

 1216	RG1216	CONDENSER reflux, Dimroth						
		With coiled inner tube						
	Length of jacket (mm)	O.D.of Upper tube (mm)	Cooling area (dm ²)	Length (mm)	Price			
	300	20	5.4	480				
	400	22	7.3	590				
	500	24	9.2	710				
	600	24	10.5	810				

 1217	RG1217	CONDENSER						
		Reflux, straight shape, Hopkin						
	Length of jacket (mm)	Cooling area (dm ²)	Length (mm)	Price				
	300	2.4	420					

 1221	RG1221	ADAPTER TUBE						
		straight						
	O.D.of. tube (mm)	O.D.of bottom (mm)	Length (mm)	Price				
	15	8	150					
	18	9	150					
	25	10	180					
	30	12	200					

 1222	RG1222	ADAPTER TUBE bent						
	O.D.of. tube (mm)	O.D.of bottom (mm)	Length (mm)	Price				
	15	8	150					
	18	9	150					
	25	10	180					
	30	12	200					

 1224	RG1224	CONNECTION TUBE T-shape						
	O.D.of. tube (mm)	Length branches (mm)	Length (mm)	Price				
	39637	50	100					
	39732	60	120					
	15-16	75	150					

 1225	RG1225	CONNECTION TUBE Y-shape						
	O.D.of. tube (mm)	Length branches (mm)	Length (mm)	Price				
	39637	50	100					
	39732	60	120					
	15-16	75	150					

 1226	RG1226	CONNECTION TUBE U-shape						
	O.D.of. tube (mm)	Length branches (mm)	Length (mm)	Price				
	39637	50	100					
	39732	60	120					

 1231	RG1231	TEST TUBE Without rim						
	O.D.of tube × Length (mm)	O.D.of tube × Length (mm)	Price					
	10 × 75	18 × 150						
	10 × 100	18 × 180						
	11 × 110	19 × 150						
	12 × 75	21 × 150						
	12 × 100	21 × 200						
	12 × 125	25 × 125						
	13 × 100	25 × 150						
	13 × 130	25 × 180						
	15 × 100	30 × 200						
	15 × 150	41 × 225						

 1232	RG1232	TEST TUBE With rim						
	O.D.of tube × Length (mm)	O.D.of tube × Length (mm)	Price					
	10 × 100	18 × 180						
	12 × 100	21 × 150						
	13 × 100	21 × 180						
	15 × 150	21 × 200						
	16 × 125	25 × 150						
	16 × 150	25 × 180						
	16 × 155	25 × 200						
	18 × 150	41 × 225						

 1233	RG1233	FERMENTATION TEST TUBE						
	O.D.of. tube (mm)	Length (mm)	Price					
	6	30						

 1234	RG1234	TEST TUBE						
		With side tube						
	O.D.of tube × Length (mm)	O.D.of tube × Length (mm)	Price					
	12 × 100	21 × 150						
	15 × 150	21 × 180						
	18 × 150	25 × 200						

 1236	RG1236	TEST TUBE						
		With graduations						
	Capacity (ml)	Graduation (ml)	O.D.of. tube (mm)	Length (mm)	Price			
	5	0.1	11	110				
	10	0.2	14	130				
	15	0.2	15	150				
	20	0.5	17	165				
	25	0.5	18	180				
	30	0.5	19	180				
	50	1	23	200				

 1237	RG1237	TEST TUBE						
		With ground-in glass stopper						
	Capacity (ml)	O.D.of. tube (mm)	Length (mm)	Price				
	5	12	130					
	10	15	160					
	15	16	180					
	20	18	190					

 1238	RG1238	TEST TUBE						
		With graduations and ground-in glass stopper						
	Capacity (ml)	Graduation (ml)	O.D.of. tube (mm)	Length (mm)	Price			
	5	0.1	12	130				
	10	0.2	15	160				
	15	0.2	16	180				
	20	0.5	18	190				

 1241	RG1241	CENTRIFUGE TUBE						
		conical						
	Capacity (ml)	O.D.of. tube (mm)	Length (mm)	Price				
	5	14	90					
	10	17	110					
	15	19	120					
	25	23	140					
	50	33	150					

 1242	RG1242	CENTRIFUGE TUBE						
		Conical, with graduations						
	Capacity (ml)	Graduation (ml)	O.D.of. tube (mm)	Length (mm)	Price			
	5	0.1	13	95				
	10	0.1	17	110				
	15	0.1	19	120				
	25	0.2	23	140				
	50	0.2	33	150				

 1243	RG1243	CENTRIFUGE TUBE						
		Round bottom						
	Capacity (ml)	O.D.of. tube (mm)	Length (mm)	Price				
	50	35	100					
	100	41	115					

 1244	RG1244	CENTRIFUGE TUBE round bottom with graduations						
	Capacity (ml)	Graduation (ml)	O.D.of. tube (mm)	Length (mm)	Price			
	50	1	35	100				
	100	2	41	115				


 1245	RG1245	ELECTROPLATE CENTRIFUGE TUBE						
	Capacity (ml)	Graduation (ml)	O.D.of. tube (mm)	Length (mm)	Price			
	0.3	0.01	28	135				

 1251	RG1251	MELTING POINT TUBE Thide						
	O.D.of. tube (mm)	O.D.of. Side tube (mm)	Length (mm)	Price				
	24	10	150					


 1252	RG1252	MELTING POINT TUBE Dennis						
	O.D.of. tube (mm)	O.D.of. Side tube (mm)	Length (mm)	Price				
	24	10	180					


 1271 A	RG1271A	STOPCOCK straight bore, Two-way						
	Bore of core (mm)	O.D.of side arm (mm)	Length of side arm (mm)	Price				
	2	8	120					
	4	8	120					
	6	10	120					
	8	12	120					
	10	14	120					
	12	17	120					
	15	20	120					
	20	23	120					


	RG1272B	STOPCOCK straight bore, Two-way, capillary						
	Bore of core (mm)	O.D.of side arm (mm)	Length of side arm (mm)	Price				
	2	8	120					

 1272	RG1272	STOPCOCK T-shape, Three-way						
	Bore of core (mm)	O.D.of side arm (mm)	Length of side arm (mm)	Price				
	2	8	120					
	4	8	120					
	6	10	120					
	8	12	120					
	10	14	120					


 1273	RG1273	STOPCOCK oblique bore, Two-way						
	Bore of core (mm)	O.D.of side arm (mm)	Length of side arm (mm)	Price				
	2	8	120					
	4	8	120					


 1274	RG1274	STOPCOCK oblique bore, Three-way						
		Bore of core (mm)	O.D.of side arm (mm)	Length of side arm (mm)	Price			
		2	8	120				
		4	8	120				

 1275	RG1275	STOPCOCK cross-shaped, four-way						
		Bore of core (mm)	O.D.of side arm (mm)	Length of side arm (mm)	Price			
		2	8	120				
		4	8	120				

 1276	RG1276	STOPCOCK With curved outlet						
		Bore of core (mm)	O.D.of side arm (mm)	Length of side arm (mm)	Price			
		2	8	120				
		4	8	120				

 1281	RG1281	FILTER PUMP Globe shape Geissler						
		O.D.of upper tube (mm)	O.D.of side tube (mm)	Length (mm)	Price			
		18	9	330				

 1282	RG1282	FILTER PUMP						
		O.D.of upper tube (mm)	O.D.of side tube (mm)	Length (mm)	Price			
		18	8	232				

 1283	RG1283	FILTER PUMP with stopcock						
		O.D.of upper tube (mm)	O.D.of side tube (mm)	Length (mm)	Price			
		18	9	340				

 1294	RG1294	STIRRER ROD						
		O.D.of rod (mm)	Length (mm)	Price				
		7~8	330					

 1296	RG1296	STIRRER ROD cylindrical type						
	Max.Dia. (mm)	O.D.of rod (mm)	Length (mm)	Price				
	22	6~7	450					


 1297	RG1297	STIRRER ROD with four tilted blades						
	Max.Dia. (mm)	O.D.of rod (mm)	Length (mm)	Price				
	40	6~7	450					


 1298	RG1298	STIRRER ROD with two folding blades						
	Max.Dia. (mm)	O.D.of rod (mm)	Length (mm)	Price				
	100	6~7	450					


 1299	RG1299	STIRRER ROD with helix blades						
	Max.Dia. (mm)	O.D.of rod (mm)	Length (mm)	Price				
	16	6~7	500					

 1301	RG1301	WEIGHING BOTTLE tall form						
	O.D. (mm)	Height (mm)	Price					
	25	25						
	25	40						
	30	50						
	30	60						
	35	70						
	40	70						

 1302	RG1302	WEIGHING BOTTLE low form						
	O.D. (mm)	Height (mm)	Price					
	40	25						
	50	30						
	60	30						
	70	35						

 1311	RG1311	GAS DRYING TOWER						
	Capacity. (ml))	O.D.of body (mm)	Height (mm)	Price				
	250	50	330					
	500	60	400					

 1313	RG1313	GAS WASHING BOTTLE Muencks						
	Capacity. (ml))	Height of body (mm)	Ground mouth	Total height (mm)	Price			
	250	170	34/35	250				
	500	240	34/35	315				

 1314	RG1314	GAS WASHING BOTTLE Drechsel						
	Capacity. (ml))	Height of body (mm)	Ground mouth	Total height (mm)	Price			
	250	170	34/35	250				
	500	240	34/35	315				


 1316	RG1316	GAS WASHING BOTTLE steel						
	Capacity. (ml))	O.D.of side tube (mm)	Height (mm)	Price				
	125	8	220					

 1321	RG1321	DRYING TUBE with one bulb						
	O.D.of tube (mm)	Length (mm)	Price					
	17	145						


 1322	RG1322	DRYING TUBE with two bulbs						
	O.D.of tube (mm)	Length (mm)	Price					
	17	160						

 1324	RG1324	DRYING TUBE U-shape, plain						
	O.D.of tube (mm)	Length (mm)	Price					
	13	100						
	15	150						

 1325	RG1325	DRYING TUBE U-shape With two side tubes						
	O.D.of tube (mm)	O.D.of side tube (mm)	Height (mm)	Price				
	13	5	100					
	15	6	150					


 1326	RG1326	DRYING TUBE U-shape With two side tubes and two stoppers						
	O.D.of tube (mm)	O.D.of side tube (mm)	Height (mm)	Price				
	13	5	100					
	15	6	150					

 1341	RG1341	NITROGEN BULB bulb form,Kjeldahl						
	O.D.of tube (mm)	O.D.of side tube (mm)	Length (mm)	Price				
	65	10	220					

 1342	RG1342	NITROGEN BULB cylindrical form,Kjeldahl						
	O.D.of tube (mm)	O.D.of side tube (mm)	Length (mm)	Price				
	45	10	260					

 1346	RG1346	AUTOMATIC FILLING TUBE						
	Capacity (ml)	Length (mm)	Price					
	5	260						
	10	260						
	15	260						
	20	260						
	25	260						
	30	260						
	40	260						
	50	260						

 1347	RG1347	AUTOMATIC FILLING BOTTLE						
	Capacity (ml)	Length (mm)	Price					
	5	100						
	10	100						
	15	100						
	20	100						
	25	120						
	30	120						
	40	150						
	50	150						


 1351	RG1351	DESICCATOR						
	With porcelain plate							
	I.D. (mm)	Height of plate (mm)	Total height (mm)	Price				
	100	60	165					
	150	90	220					
	180	100	280					
	210	110	320					
	240	120	360					
	300	140	450					


 1352	RG1352	DESICCATOR amber						
		With porcelain plate						
	I.D. (mm)	Height of plate (mm)	Total height (mm)	Price				
	100	60	165					
	150	90	220					
	180	100	280					
	210	110	320					
	240	120	360					
	300	140	450					

 1354	RG1354	VACUUM DESICCATOR						
		Clear,with ground-in stopcock and porcelain plate						
	I.D. (mm)	Height of plate (mm)	Total height (mm)	Price				
	150	90	220					
	180	100	280					
	210	110	320					
	240	120	360					
	300	140	450					

 1355	RG1355	VACUUM DESICCATOR						
		amber,with ground-in stopcock and porcelain plate						
	I.D. (mm)	Height of plate (mm)	Total height (mm)	Price				
	150	90	220					
	180	100	280					
	210	110	320					
	240	120	360					
	300	140	450					

 1361	RG1361	GAS GENERATOR Kipp's						
		with safe funnel,stop cock and rubber stopper						
	Capacity (ml)	O.D.of bulb (mm)	Height (mm)	Price				
	250	82	314					
	500	98	360					
	1000	130	450					
	2000	160	580					

 1371	RG1371	BELL JAR clear,with knob top						
	I.D. (mm)	Height (mm)	Price					
	120	180						
	150	200						
	150	250						
	180	250						
	200	300						

 1372	RG1372	BELL JAR						
		Amber,with knob top						
	I.D. (mm)	Height (mm)	Price					
	120	180						
	150	200						
	150	250						
	180	250						
	200	300						

 1373	RG1373	BELL JAR with ground-in glass stopper						
	I.D. (mm)	Height (mm)	Price					
	120	180						
	150	200						
	150	250						
	180	250						
	200	300						


 1381	RG1381	ALCOHOL LAMP with plastic cap						
	Capacity (ml)	Height (mm)	Price					
	150	118						
	250	130						

 1383	RG1383	MORTAR with glass pestle						
	I.D. (mm)	Height (mm)	Price					
	60	40						
	75	40						
	90	50						
	120	60						
	150	85						
	180	96						

 1385	RG1385	PNEUMATIC TROUGH round form						
	O.D. (mm)	Height (mm)	Price					
	120	80						
	150	90						
	180	100						
	210	110						
	240	125						
	270	150						
	300	150						

 1386	RG1386	JAR storage for incubator use						
	O.D. (mm)	Height (mm)	Price					
	300	300						


 1401	RG1401	REAGENT BOTTLE clear,narrow mouth With ground-in glass stopper,or plastic stopper						
	Capacity (ml)	Dia.of bottle (mm)	Dia.of mouth (mm)	Height (mm)	Price			
	30	40	18	76				
	60	46	22	85				
	125	57	24	110				
	250	70	27	135				
	500	85	33	172				
	1000	106	38	202				
	2500	145	48	270				
	5000	185	58	338				
	10000	225	68	430				
	20000	265	82	520				


 1402	RG1402	REAGENT BOTTLE amber,narrow mouth, With ground-in glass stopper,or plastic stopper						
	Capacity (ml)	Dia.of bottle (mm)	Dia.of mouth (mm)	Height (mm)	Price			
	30	40	18	76				
	60	46	22	85				
	125	57	24	110				
	250	70	27	135				
	500	85	33	172				
	1000	106	38	202				
	2500	145	48	270				
	5000	185	58	338				
	10000	225	68	430				

 1403	RG1403	REAGENT BOTTLE clear,wide mouth						
		With ground-in glass stopper,or plastic stopper						
	Capacity (ml)	Dia.of bottle (mm)	Dia.of mouth (mm)	Height (mm)	Price			
	30	40	25	72				
	60	46	30	80				
	125	57	38	108				
	250	70	50	130				
	500	85	58	165				
	1000	106	65	188				
	2500	145	90	260				
	5000	185	110	330				

 1404	RG1404	REAGENT BOTTLE amber,wide mouth						
		With ground-in glass stopper,or plastic stopper						
	Capacity (ml)	Dia.of bottle (mm)	Dia.of mouth (mm)	Height (mm)	Price			
	30	40	25	72				
	60	46	30	80				
	125	57	38	108				
	250	70	50	130				
	500	85	58	165				
	1000	106	65	188				
	2500	145	90	260				
	5000	185	110	330				

 1405	RG1405	GAS COLLECTING BOTTLE						
		With ground-in glass stopper						
	Capacity (ml)	Dia.of mouth (mm)	Dia.of bottle (mm)	Height (mm)	Price			
	(ml)	(mm)	(mm)	(mm)				
	125	38	57	108				
	250	50	70	130				
	500	58	86	160				

 1421	RG1421	ASPIRATOR BOTTLE						
	Capacity (ml)	O.D.of neck (mm)	O.D. of lower mouth (mm)	Height (mm)	Price			
	2500	48	30	270				
	5000	58	32	345				
	10000	68	35	420				
	20000	82	38	500				

 1422	RG1422	ASPIRATOR BOTTLE						
		With ground-in glass stopper and stopcock						
	Capacity (ml)	O.D.of neck (mm)	O.D. of lower mouth (mm)	Height (mm)	Price			
	2500	48	30	270				
	5000	58	32	345				
	10000	68	35	420				
	20000	82	38	500				

 1432	RG1432	FILTERING FLASK						
		with side tubulature						
	Capacity (ml)	O.D.of side tube (mm)	Height (mm)	Price				
	125	9	120					
	250	9	160					
	500	9	210					
	1000	9	245					
	2500	11	290					
	5000	11	370					
	10000	13	450					

 1434	RG1434	FILTERING FLASK						
		with tubulature at upper side and at bottom						
		Capacity (ml)	O.D. of side tube (mm)	Height (mm)	Price			
		125	9	120				
		250	9	160				
		500	9	210				
		1000	9	245				
		2500	11	290				
		5000	11	370				
		10000	13	450				

 1447	RG1447	CULTURE FLASK Florentine						
		Capacity (ml)	O.D. of mouth (mm)	width of bottom (mm)	Height (mm)	Price		
		250	32	37	225			
		500	38	40	275			

 1451	RG1451	DROPPING BOTTLE						
		with ground-in pipette and latex rubber nipple						
		Capacity (ml)	O.D. of tube (mm)	Height (mm)	Price			
		30	40	76				
		60	46	85				
		125	57	110				

 1452	RG1452	DROPPING BOTTLE Amber glass						
		with ground-in pipette and latex rubber nipple						
		Capacity (ml)	O.D. of tube (mm)	Height (mm)	Price			
		30	40	76				
		60	46	85				
		125	57	110				


 1456	RG1456	DROPPING BOTTLE						
		Straight tip with latex rubber nipple						
		O.D. of tube (mm)	Length (mm)	Price				
		39637	90					
		39637	160					

 1457	RG1457	DROPPING BOTTLE Straight tip						
		With one bulb and latex rubber nipple						
		O.D. of tube (mm)	Length (mm)	Price				
		39637	100					

 1458	RG1458	DROPPING BOTTLE Curved tip						
		With latex rubber nipple						
		O.D. of tube (mm)	Length (mm)	Price				
		39637	90					

	RG1459	DROPPING PIPETTE Curved tip						
		With one bulb and latex rubber nipple						
	O.D. of tube (mm)	Length (mm)	Price					
	39637	100						

1459



RG1471	GG17 BOILING FLASK						
	Round bottom, long neck						
Height (mm)	Dia. Of body (mm)	Price	Height (mm)	Dia. Of body (mm)	Price		
90	45		300	90			
120	45		150	120			
150	45		180	120			
180	45		210	120			
210	45		240	120			
240	45		300	120			
90	60		180	150			
120	60		210	150			
150	60		240	150			
180	60		300	150			
210	60		400	150			
240	60		180	180			
300	60		210	180			
120	75		240	180			
150	75		300	180			
180	75		400	180			
210	75		210	210			
240	75		240	210			
300	75		300	210			
120	90		400	210			
150	90		240	240			
180	90		300	240			
210	90		400	240			
240	90						

 1475	RG1475	SPECIMEN BOTTLE						
		Round form						
	Capacity (ml)	O.D. (mm)	Length (mm)	Price				
	125	50	90					
	250	68	125					
	500	85	130					

1475

 1475	RG1476	SPECIMEN BOTTLE						
		Conical form						
	Capacity (ml)	O.D. (mm)	Length (mm)	Price				
	125	60	104					
	250	75	135					
	500	90	160					

1475

 1476	RG1481	WASHING BOTTLE						
		flat form, with ground – in glass stopper						
	Capacity (ml)	Ground mouth (mm)	Length (mm)	Price				
	250	24/29	86					
	500	24/29	108					
	1000	29/32	138					

1476

 1482	RG1482	WASHING BOTTLE						
		Conical form, with ground – in glass stopper						
	Capacity (ml)	Ground mouth (mm)	Length (mm)	Price				
	250	24/29	83					
	500	24/29	98					
	1000	20/32	128					

 1503	RG1503	FUNNEL 60° approx, long stem						
	Diameter (mm)	O.D. of stem (mm)	Length (mm)	Price				
	50	7	150					
	60	8	150					
	75	9	150					
	90	11	150					

 1504	RG1504	FUNNEL 60° approx, short stem						
	Diameter (mm)	O.D. of stem (mm)	Length (mm)	Price				
	40	7	50					
	50	7	50					
	60	8	60					
	75	9	75					
	90	11	90					

 1511	RG1511	FILTER FUNNEL						
	Diameter (mm)	O.D. of stem (mm)	Length (mm)	Price				
	20	60	7					
	25	65	7					
	32	75	8					
	38	80	8					
	40	80	9					

 1521	RG1521	SAFE FUNNEL						
		Straight , thistle top						
	O.D. of top (mm)	O.D. of stem (mm)	Length (mm)	Price				
	40	7~8	350					

 1522	RG1522	SAFE FUNNEL						
		With loop , thistle top						
	O.D. of top (mm)	O.D. of stem (mm)	Length (mm)	Price				
	40	7~8	350					

 1523	RG1523	SAFE FUNNEL						
		With bulb in loop						
	O.D. of top (mm)	O.D. of stem (mm)	Length (mm)	Price				
	40	7~8	350					

 1524	RG1524	SAFE FUNNEL						
		With two bulbs in loop						
		O.D. of top (mm)	O.D. of stem (mm)	Length (mm)	Price			
		40	7~8	350				

 1531	RG1531	DROPPING FUNNEL						
		With ground – in glass stopper and stopcock						
		Capacity (ml)	Dia. of stem × Length (mm)	Length (mm)	Price			
		60	9 × 140	270				
		125	9 × 140	285				
		250	10 × 140	310				
		500	10 × 140	330				

 1541	RG1541	SEPARATORY FUNNEL						
		Thick, With ground – in glass stopper and stopcock						
		Capacity (ml)	Dia. of stem × Length (mm)	Length (mm)	Price			
		1000	16	250				
		2000	18	400				
		3000	18	455				
		5000	30	520				

 1542	RG1542	SEPARATORY FUNNEL globe shape						
		With ground – in glass stopper and stopcock						
		Capacity (ml)	Dia. of stem × Length (mm)	Length (mm)	Price			
		60	9 × 160	265				
		125	9 × 160	290				
		250	10 × 160	315				
		500	10 × 160	340				
		1000	12 × 160	380				

 1543	RG1543	SEPARATORY FUNNEL Squib pear shape						
		With ground – in glass stopper and stopcock						
		Capacity (ml)	Dia. of stem × Length (mm)	Length (mm)	Price			
		10	8 × 60	126				
		20	8 × 60	135				
		60	10 × 70	220				
		125	10 × 70	260				
		250	11 × 70	290				
		500	12 × 70	330				
		1000	12 × 70	400				

 1544	RG1544	SEPARATORY FUNNEL pear shape, with graduations, ground-in glass stopper and stopcock						
		Capacity (ml)	graduation (ml)	Dia. of stem × Length (mm)	Length (mm)	Price		
		60	5	10 × 70	220			
		125	5	10 × 70	260			
		250	10	11 × 70	290			
		500	20	12 × 70	330			
		1000	50	12 × 70	400			

 1545	RG1545	SEPARATORY FUNNEL cylindrical shape					
		With ground – in glass stopper and stopcock					
	Capacity (ml)	Dia. of stem × Length (mm)	Length (mm)	Price			
	60	9 × 80	260				
	125	9 × 80	320				
	250	10 × 110	360				
	500	10 × 110	420				
	1000	12 × 110	460				

 1546	RG1546	SEPARATORY FUNNEL cylindrical shape, with graduations, ground–in glass stopper and stopcock					
	Capacity (ml)	graduation (ml)	Dia. of stem × Length (mm)	Length (mm)	Price		
	60	2	9 × 80	260			
	125	5	9 × 80	320			
	250	5	10 × 110	360			
	500	10	10 × 110	420			
	1000	25	12 × 110	460			

 1601	RG1601	MEASURING CYLINDER with spout					
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Height (mm)	Price		
	5	0.1	0.1	110			
	10	0.2	0.2	135			
	25	0.5	0.5	160			
	50	1	0.5	195			
	100	1	1	250			
	250	2or5	2	300			
	500	5	5	350			
	1000	10	10	430			
	2000	20	20	500			

 1603	RG1603	MEASURING CYLINDER					
		With graduations and ground–in glass stopper					
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Height (mm)	Price		
	10	0.2	0.1	150			
	25	0.5	0.25	150			
	50	1	0.25	215			
	100	1	0.5	270			
	250	2or5	1	320			
	500	5	2.5	380			
	1000	10	5	460			
	2000	20	10	530			

 1611	RG1611	GRADUATE with spout, short lines					
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Height (mm)	Price		
	5	0.5	0.3	80			
	10	1	0.5	95			
	20	2	0.6	115			
	50	5	1	135			
	100	10	1.5	165			
	250	25	3	205			
	500	50	6	250			
	1000	50	10	310			


 1621A	RG1621A	VOLUMETRIC FLASK grade A.						
		With ground-in glass stopper or plastic stopper						
	Capacity (ml)	Capacity tolerance (±ml)	Ground mouth	Height (mm)	Price			
	5	0.02	39640	74				
	10	0.02	39640	90				
	25	0.03	39734	110				
	50	0.05	39734	140				
	100	0.1	39796	170				
	200	0.15	14/15	210				
	250	0.15	14/15	220				
	500	0.25	16/16	260				
	1000	0.4	19/17	310				
	2000	0.6	24/20	370				


 1621	RG1621B	VOLUMETRIC FLASK grade B.						
		With ground-in glass stopper or plastic stopper						
	Capacity (ml)	Capacity tolerance (±ml)	Ground mouth	Height (mm)	Price			
	5	0.04	39640	74				
	10	0.04	39640	90				
	25	0.06	39734	110				
	50	0.1	39734	140				
	100	0.2	39796	170				
	200	0.3	14/15	210				
	250	0.3	14/15	220				
	500	0.5	16/16	260				
	1000	0.8	19/17	310				
	2000	1.2	24/20	370				


 1622A	RG1622A	VOLUMETRIC FLASK amber, grade A.						
		With ground-in glass stopper or plastic stopper						
	Capacity (ml)	Capacity tolerance (±ml)	Ground mouth	Height (mm)	Price			
	5	0.02	39640	74				
	10	0.02	39640	90				
	25	0.03	39734	110				
	50	0.05	39734	140				
	100	0.1	39796	170				
	200	0.15	14/15	210				
	250	0.15	14/15	220				
	500	0.25	16/16	260				
	1000	0.4	19/17	310				
	2000	0.6	24/20	370				

 1622	RG1622B	VOLUMETRIC FLASK amber, grade B.						
		With ground-in glass stopper or plastic stopper						
	Capacity (ml)	Capacity tolerance (±ml)	Ground mouth	Height (mm)	Price			
	5	0.04	39640	74				
	10	0.04	39640	90				
	25	0.06	39734	110				
	50	0.1	39734	140				
	100	0.2	39796	170				
	200	0.3	14/15	210				
	250	0.3	14/15	220				
	500	0.5	16/16	260				
	1000	0.8	19/17	310				
	2000	1.2	24/20	370				

 1624	RG1624	VOLUMETRIC FLASK steel						
	Capacity (ml)	Capacity tolerance (±ml)	O.D.of bulb (mm)	Height (mm)	Price			
	50	0.2	44	120				
	100	0.4	57	120				

 1630	RG1630	MEASURING PIPETTE with coding band						
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Flow rate (s)	Length (mm)	Price		
	0.1	0.001	0.004	39483	320			
	0.2	0.002	0.006	39483	320			
	0.25	0.0025	0.008	39483	320			
	0.5	0.005	0.01	39483	320			
	1	0.01	0.015	39513	350			
	2	0.02	0.025	39513	350			
	5	0.05	0.05	39578	350			
	10	0.1	0.1	39578	350			


 1630A	RG1630A	MEASURING PIPETTE						
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Flow rate (s)	Length (mm)	Price		
	1	0.01	0.008	39548	350			
	2	0.02	0.012	39550	350			
	5	0.05	0.025	39613	350			
	10	0.1	0.05	39646	350			
	25	0.1	0.01	39773	470			
	50	0.2	0.01	15-25	480			

 1633A	RG1633A	VOLUMETRIC PIPETTE with one mark						
	Capacity (ml)	Capacity tolerance (±ml)	Flow rate (s)	Length (mm)	Price			
	1	0.007	39641	330				
	2	0.01	39641	340				
	3	0.015	15-25	360				
	5	0.015	15-25	400				
	10	0.02	20-30	450				
	15	0.025	20-30	520				
	20	0.03	25-35	560				
	25	0.03	25-35	570				
	50	0.05	30-40	600				
	100	0.08	35-45	640				

 1633	RG1633B	VOLUMETRIC PIPETTE with one mark						
	Capacity (ml)	Capacity tolerance (±ml)	Flow rate (s)	Length (mm)	Price			
	0.5	0.01	39580	280				
	1	0.015	39580	330				
	2	0.02	39580	340				
	3	0.03	39746	360				
	4	0.03	39746	360				
	5	0.03	39746	400				
	10	0.04	15-30	450				
	15	0.05	15-30	520				
	20	0.06	20-35	560				
	25	0.06	20-35	570				
	50	0.1	25-40	600				
	100	0.16	35-45	640				
	200	0.2	40-60	660				

 1635	RG1635B	TRANSFER PIPETTE Ostwald-folin						
		Graduated one mark						
	Capacity (ml)	Capacity tolerance (±ml)	Flow rate (s)	Length (mm)	Price			
	0.25	0.005	39578	280				
	0.5	0.01	39578	280				
	1	0.015	39611	280				
	2	0.02	39611	300				
	3	0.03	39674	300				
	4	0.03	39674	300				
	5	0.03	39741	320				
	10	0.04	15-25	320				
	15	0.05	15-25	320				
	20	0.05	15-25	320				
	25	0.06	15-25	320				

	RG1641B	BURETTE with rubber tubing connection, Glass bead and glass tip						
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Flow rate (s)	Length (mm)	Price		
	10	0.05	0.05	20-40	600			
	25	0.1	0.1	35-70	630			
	50	0.1	0.1	50-90	860			
	100	0.2	0.2	60-100	860			

 1641A	RG1641A	BURETTE with rubber tubing connection, Glass bead and glass tip						
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Flow rate (s)	Length (mm)	Price		
	10	0.05	0.025	30-45	600			
	25	0.1	0.05	45-70	630			
	50	0.1	0.05	60-90	860			
	100	0.2	0.1	70-100	860			

 1642A	RG1642A		BURETTE with straight stopcock					
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Length (mm)	Price			
	10	0.05	0.025	600				
	25	0.1	0.05	630				
	50	0.1	0.05	860				
	100	0.2	0.1	860				

	RG1642B	BURETTE with straight stopcock						
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Length (mm)	Price			
	10	0.05	0.05	600				
	25	0.1	0.1	630				
	50	0.1	0.1	860				
	100	0.2	0.2	860				

 1644	RG1644A	BURETTE with blue line on milk white back, Rbbber tubing connection,glass bead and glass tip						
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Length (mm)	Price			
	10	0.05	0.025	600				
	25	0.1	0.05	630				
	50	0.1	0.05	860				
	100	0.2	0.1	860				

	RG1644B	BURETTE with blue line on milk white back, Rbbber tubing connection,glass bead and glass tip						
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Length (mm)	Price			
	10	0.05	0.05	600				
	25	0.1	0.1	630				
	50	0.1	0.1	860				
	100	0.2	0.2	860				


 1645	RG1645A	BURETTE with blue line on milk white back, Straight stopcock,Schellbach						
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Length (mm)	Price			
	10	0.05	0.025	600				
	25	0.1	0.05	630				
	50	0.1	0.05	860				
	100	0.2	0.1	860				

	RG1645B	BURETTE with blue line on milk white back, Straight stopcock,Schellbach						
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Length (mm)	Price			
	10	0.05	0.05	600				
	25	0.1	0.1	630				
	50	0.1	0.1	860				
	100	0.2	0.2	860				

 1647	RG1647	BURETTE amber glass,with rubber tubing Commection,glass bead and glass tip						
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Length (mm)	Price			
	10	0.05	0.05	600				
	25	0.1	0.1	630				
	50	0.1	0.1	860				
	100	0.2	0.2	860				

 1648	RG1648	BURETTE amber glass,with straight stopcock						
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Length (mm)	Price			
	10	0.05	0.05	600				
	25	0.1	0.1	630				
	50	0.1	0.1	860				
	100	0.2	0.2	860				


 1651	RG1651	AUTOMATIC BURETTE Pellet						
		With reservoir,rubber stopper and pressure bulb						
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Capacity of reservoir (±ml)	Length (mm)	Price		
	25	0.1	0.1	2000	830			
	50	0.1	0.1	2000	1080			

 1652	RG1652	AUTOMATIC BURETTE Squiibb						
	With ground-in glass stopper and pressure bulb							
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Capacity of reservoir (±ml)	Length (mm)	Price		
	10	0.05	0.05	1000	770			
	25	0.1	0.1	2000	830			
	50	0.1	0.1	2000	1080			

 1653	RG1653	AUTOMATIC BURETTE Squibb with reservoir						
		ground-in glass stopper and pressure bulb						
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Capacity of reservoir (±ml)	Length (mm)	Price		
	25	0.1	0.1	2000	830			
	50	0.1	0.1	2000	1080			


 1654	RG1654	AUTOMATIC BURETTE amber glass						
		With ground-in glass stopper and pressure bulb						
	Capacity (ml)	graduation (ml)	Capacity of reservoir (±ml)	Length (mm)	Price			
	10	0.05	1000	770				
	25	0.1	2000	830				
	50	0.1	2000	1080				


 1655	RG1655	AUTOMATIC BURETTE with						
		ground-in glass reservoir and pressure bulb						
	Capacity (ml)	graduation (ml)	Capacity of reservoir (±ml)	Length (mm)	Price			
	10	0.05	1000	770				
	25	0.1	2000	830				
	50	0.1	2000	1080				

 1656	RG1656	AUTOMATIC BURETTE with U-shape drying						
		Tube, ground-in glass stopper and pressure bulb						
	Capacity (ml)	graduation (ml)	Capacity of reservoir (±ml)	Length (mm)	Price			
	10	0.05	1000	770				
	25	0.1	2000	830				
	50	0.1	2000	1080				

 1657	RG1657	AUTOMATIC BURETTE blue line on milk white						
		Back with ground-in glass stopper and pressure bulb						
	Capacity (ml)	graduation (ml)	Capacity of reservoir (±ml)	Length (mm)	Price			
	25	0.1	2000	830				
	50	0.1	2000	1080				

 1658	RG1658	AUTOMATIC BURETTE amber glass						
		With ground-in glass stopper and pressure bulb						
	Capacity (ml)	graduation (ml)	Capacity of reservoir (±ml)	Length (mm)	Price			
	10	0.05	1000	770				
	25	0.1	2000	830				
	50	0.1	2000	1080				

 1659	RG1659	AUTOMATIC BURETTE						
	rubber tubing connection,glass bead and glass tip,with drying tube and ground-in glass stopper							
	Capacity (ml)	graduation (ml)	Capacity of reservoir (±ml)	Length (mm)	Price			
	5	0.02	500	770				
	10	0.05	1000	770				
	25	0.1	2000	830				

 1661	RG1661A	MICRO BURETTE with wooden base						
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Length (mm)	Price			
	1	0.01	0.01	650				
	2	0.01	0.01	730				
	3	0.02	0.01	780				
	5	0.02	0.01	780				
	10	0.05	0.025	780				

	RG1661B	MICRO BURETTE with wooden base						
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Length (mm)	Price			
	1	0.01	0.2	620				
	2	0.01	0.02	700				
	3	0.02	0.02	780				
	5	0.02	0.02	780				
	10	0.05	0.05	780				


 1663	RG1663A	MICRO BURETTE with side filling tube, Fisher						
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Length (mm)	Price			
	1	0.01	0.01	620				
	2	0.01	0.01	700				
	3	0.02	0.01	730				
	5	0.02	0.01	730				
	10	0.05	0.025	730				

 1663B	RG1663B	MICRO BURETTE with side filling tube						
	Capacity (ml)	graduation (ml)	Capacity tolerance (±ml)	Length (mm)	Price			
	1	0.01	0.2	620				
	2	0.01	0.02	700				
	3	0.02	0.02	780				
	5	0.02	0.02	780				
	10	0.05	0.05	780				

 1676	RG1676	AUTOMATIC FILLING APPARATUS With rubber stopper						
	Capacity (ml)	Capacity tolerance (±ml)	Capacity of bottle (ml)	Price				
	5	0.2	500					
	10	0.2	500					
	15	0.4	500					
	20	0.4	500					
	25	0.5	500					

 1677	RG1677	AUTOMATIC FILLING APPARATUS With ground-in glass stopper						
	Capacity (ml)	Capacity tolerance (±ml)	Capacity of bottle (ml)	Price				
	5	0.2	500					
	10	0.2	500					
	15	0.4	500					
	20	0.4	500					
	25	0.5	500					

 1689	RG1689	ABSORBER APPARATUS						
	O.D. of tube (mm)	O.D. of side tube (mm)	Height (mm)	Price				
	20	5.5	205					

 1690	RG1690	ABSORBER APPARATUS						
	O.D. of uppertube (mm)	O.D. of lower tube (mm)	Height (mm)	Price				
	26	14	180					

 1697	RG1697	GAS SAMPLING BOTTLE						
		spray-bubble type						
	O.D. of bottle (mm)	O.D. of bulb (mm)	Height (mm)	Price				
	20	38	190					


 1701	RG1701	FAT TEST BOTTLE for milk test						
	Graduation (%)	Graduated interval (%)	Capacity of bottle (ml)	Height (mm)	Price			
	8	0.1	45	165				

 1702	RG1702	FAT TEST BOTTLE for cream test						
	Graduation (%)	Graduated interval (%)	Capacity of bottle (ml)	Height (mm)	Price			
	50	0.5	45	165				

 1705	RG1705	MILK TEST PIPETTE						
	Capacity (ml)	O.D. of lower tube (mm)	Length (mm)	Price				
	11	5	320					
	17.6	5	320					

 1711	RG1711	BLOOD SUGAR TUBE Folin-wu						
	Capacity (ml)	Graduated interval (ml)	O.D. (mm)	Length (mm)	Price			
	25	25	19	215				

 1712	RG1712	BLOOD SUGAR TUBE						
		Karmar-gittleman						
	Capacity (ml)	Graduated interval (ml)	O.D. (mm)	Length (mm)	Price			
	25	4,6,12.5,25	19	215				


 1713	RG1713	BLOOD DIGESTION TUBE						
		N.P.N.Folin-wu						
	Capacity (ml)	Graduated interval (ml)	O.D. (mm)	Length (mm)	Price			
	50	35,50	25	200				

 1714	RG1714	BLOOD RECEIVING TUBE						
		N.P.N.Folin-wu						
	Capacity (ml)	Graduated interval (ml)	O.D. (mm)	Length (mm)	Price			
	25	12.5,25	25	200				

 1721	RG1721	BLOOD GAS APPARATUS						
		Original model						
	Spare parts	Graduation (ml)	Height (mm)	Price				
	Gas burette tube	50	480					
	Leveling bulb	125	135					

 1761	RG1761	MICRO KJELDAHL DISTILLING APPARATUS						
	Spare parts	Height (mm)	Price					
	Distilling flask	410						
	Vapor tube	260						
	Condenser	480						
	Funnel	90						
	150ml conical flask	115						
	1000ml round boiling flask	208						

 1765	RG1765	SEMICRO KJELDAHL DISTILLING APPARATUS						
	Art No.	Spare parts	Price					
	1765-1	Distilling tube						
	1765-2	condenser						

 1767	RG1767	MICRO KJELDAHL DISTILLING APPARATUS improved						
	Width (mm)	Height (mm)	Price					
	150	300						

 1781	RG1781	WATER DETERMINATION APPARATUS						
		With ground-in glass joints						
	Art No.	Spare parts	Price					
	1781-1	500ml round boiling flask						
	1781-2	10ml receiving tube						
	1781-3	400mm straight condenser						

 1785	RG1785	VOLATILE OIL DETERMINATION APPARATUS specific gravity < 1.0						
	Capacity (ml)	Graduated interval (ml)	Length (mm)	Price				
	5	0.1	360					

 1786	RG1786	VOLATILE OIL DETERMINATION						
		Specific gravity > 1.0						
	Capacity (ml)	Graduated interval (ml)	Length (mm)	Price				
	5	0.1	330					

 1787	RG1787	VOLATILE OIL DETERMINATION APPARATUS						
		for rosin, with ground-in glass stopper						
	Art No.	Spare parts			Price			
	1781-1	500ml round boiling flask						
	1781-2	5ml receiving tube						
	1781-3	400mm straight condenser						


 1788	RG1788	VOLATILE OIL DETERMINATION APPARATUS						
		, with ground-in glass stopper						
	Art No.	Spare parts			Price			
	1781-1	5ml volatile oil determination tube						
	1781-2	400mm global condenser						
	5001/500/34	500ml round boiling flask						
	5001/1L/34	1000 ml round boiling flask						
	5001/2L/34	2000ml round boiling flask						


 1791	RG1791	EXTRACTION APPARATUS						
		With blbed condenser and ground glass joints						
	Flat boiling flask		Extraction tube			Condenser		Price
	Capacity (ml)	Ground mouth	Valid Volume (mm)	Ground mouth	Ground stopper	Length (mm)	Ground stopper	
	60	19/26	F 30 × 60	34/35	19/26	200	34/35	
	150	19/26	F 30 × 70	34/35	19/26	220	34/35	
	250	24/29	F 37 × 80	40/38	24/29	240	40/38	
	500	24/29	F 47 × 100	50/42	24/29	270	50/42	


 1792	RG1792	EXTRACTION APPARATUS Soxhlet						
		With coiled condenser and ground glass joints						
	Flat boiling flask		Extraction tube			Condenser		Price
	Capacity (ml)	Ground mouth	Valid Volume (mm)	Ground mouth	Ground stopper	Length (mm)	Ground stopper	
	60	19/26	F 30 × 60	34/35	19/26	200	34/35	
	150	19/26	F 30 × 70	34/35	19/26	220	34/35	
	250	24/29	F 37 × 80	40/38	24/29	240	40/38	
	500	24/29	F 47 × 100	50/42	24/29	270	50/42	

 1793	RG1793	EXTRACTION APPARATUS Soxhlet						
		With coil-bulb condenser and ground glass joints						
	Flat boiling flask		Extraction tube			Condenser		Price
	Capacity (ml)	Ground mouth	Valid Volume (mm)	Ground mouth	Ground stopper	Length (mm)	Ground stopper	
	60	19/26	F 30 × 60	34/35	19/26	200	34/35	
	150	19/26	F 30 × 70	34/35	19/26	220	34/35	
	250	24/29	F 37 × 80	40/38	24/29	240	40/38	
	500	24/29	F 47 × 100	50/42	24/29	270	50/42	

 1794	RG1794	EXTRACTION APPARATUS						
		Improved, with ground-in glass joints						
	Flat boiling flask		Extraction tube			Condenser		Price
	Capacity (ml)	Ground mouth	Valid Volume (mm)	Ground mouth	Ground stopper	Length (mm)	Ground stopper	
	60	19/26	F 22 × 30	34/35	19/26	200	34/35	
	150	19/26	F 25 × 35	34/35	19/26	220	34/35	

 1801	RG1801	DISTILLING APPARATUS						
		with ground-in glass joints						
	Capacity of flask (ml)	Length of condenser (mm)	Ground mouth	Height (mm)	Price			
	500	200	24/29	200				
	1000	250	24/29	280				
	2000	300	29/32	350				


 1802	RG1802	DISTILLING APPARATUS for determination						
		Of ammonia in water, with ground-in glass joints						
	Capacity of flask (ml)	Length of jacket (mm)	Price					
	500	200						

 1803	RG1803	DISTILLING APPARATUS						
		with ground glass joints						
	Capacity of flask (ml)	Length of jacket (mm)	Price					
	5000	600						

 1831	RG1831	VISCOSITY PIPETTE Ostwald						
		I.D. of capillary (mm)	Flow rate (s)	Length (mm)	V. of test bulb (ml)	Price		
		≈ 0.7	20~75	250	2.5			
		≈ 0.55	75~100	250	2.5			
		≈ 0.5	100~150	250	2.5			
		≈ 0.4	200~300	250	2.5			


 1833	RG1833	KINEMATIC VISCOSIMETER Pinkevich						
		I.D. of capillary (mm)	Constant (≈ mm ² /s ²)	Range of viscosity (mm ² /s)	Price			
		0.4-0.05	0.002	0.4~1.2				
		0.4+0.05	0.004	0.8~2.4				
		0.6-0.05	0.007	1.4~4.2				
		0.6+0.05	0.01	2~6				
		0.8-0.05	0.02	4~12				
		0.8+0.05	0.03	6~18				
		1.0 ± 0.05	0.07	14~42				
		1.2 ± 0.05	0.14	28~84				
		1.5 ± 0.1	0.35	70~210				
		2.0 ± 0.1	1.1	220~660				
		2.5 ± 0.1	2.7	540~1620				
		3.0 ± 0.1	5.6	1120~3360				
		3.5 ± 0.1	10.5	2200~6600				
		4.0 ± 0.1	18	3600~10800				
		5.0 ± 0.1	21	4200~12600				
		6.0 ± 0.1	43	8600~25000				


 1861	RG1861	SPECIFIC GRAVITY BOTTLE Gay-lussac						
	Capacity (ml)	Diameter of mouth (mm)	Height (mm)	Price				
	5	7	60					
	10	7	70					
	25	10	85					
	50	10	100					
	100	10	110					

 1862	RG1862	SPECIFIC GRAVITY BOTTLE Lechatelier						
	Capacity (ml)	O.D. of bulb (mm)	Graduation (ml)	Height (mm)	Price			
	250	90	24	250				


 1871	RG1871	COLORIMETER TUBE Nessler						
	Capacity (ml)	Graduation (ml)	Tolerance (±ml)	Height (mm)	Price			
	10	5,10	0.1	130				
	25	20,25	0.25	150				
	50	25,50	0.4	180				
	100	50,100	0.6	210				

 1872	RG1872	COLORIMETER TUBE						
		With glass hollow stopper						
	Capacity (ml)	Graduation (ml)	Tolerance (±ml)	Height (mm)	Price			
	10	5,10	0.1	140				
	25	20,25	0.25	170				
	50	25,50	0.4	200				

 1901	RG1901	GAS ANALYSIS APPARATUS						
		With three absorption pipettes, Ostwald						
	Art No.	Spare parts			Price			
	367	3 pcs gas absorption pipette						
	398	100ml measuring burette with jacket						
	426	Manifold tube with four glass stopcocks						
	457	250ml leveling tube						
	487	U-shape drying tube						
	518	Straight drying tube						
	548	3 pcs bent adapter						


 1902	RG1902	GAS ANALYSIS APPARATUS						
		With four absorption pipettes, Ostwald						
	Art No.	Spare parts			Price			
	732	4 pcs gas absorption pipette						
	763	100ml measuring burette with jacket						
	791	Manifold tube with four glass stopcocks						
	822	250ml leveling tube						
	852	U-shape drying tube						
	883	Straight drying tube						
	913	4 pcs bent adapter						


 1913	RG1913	GAS PIPETTE explosion,Hemple						
	Height (mm)	O.D.of bulb (mm)	Price					
	210	60						

 1915	RG1915	GAS PIPETTE solid absorption,Hemple						
	O.D. (mm)	O.D.of neck (mm)	O.D.of bulb (mm)	Height (mm)	Price			
	60	26	66	300				
	73	26	66	300				

 1941	RG1941	GAS SAMPLE MEASURING BURETTE						
	Capacity (ml)	Graduation(ml)			Length (mm)	Price		
		0~15	25~55	65~100				
	100	0.2	1	0.2	580			

 1942	RG1942	OXYGEN MEASURING TUBE						
	Capacity (ml)	Graduation(ml)			Length (mm)	Price		
		0~10	10~94	94~100				
	100	0.5	5	0.1	480			

 1943	RG1943	OXYGEN MEASURING BURETTE						
		With water jacket						
	Capacity (ml)	Graduation(ml)			Length (mm)	Price		
		0~90	90~99	99~100				
	100	1	0.1	0.1	560			

 1944	RG1944	NITROGEN MEASURING BURETTE						
		With water jacket						
	Capacity (ml)	Graduation(ml)			Length (mm)	Price		
		80~90	90~99	99~100				
	100	0.2	0.1	0.1	580			

 2105	RG2105	AMMONIA DETERMINATION APPARATUS						
	Capacity (ml)	Capacity of lower tube (ml)	Graduation at base (ml)	Graduation at Top (ml)	Length (mm)	Price		
			0-2	2-500				
	200	1	0.02	5	340			
	500	2	0.05	10	440			

 3101	RG3101	MICRO BEAKER with spout						
	Capacity (ml)	O.D. (mm)	Height (mm)	Price				
	5	22	33					
	10	26	35					
	25	34	50					

 3115	RG3115	MICRO BOILING FLASK round bottom						
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	Height (mm)	Price			
	5	13	27	62				
	10	13	33	68				
	25	15	41	82				


 3118	RG3118	MICRO IODINE FLASK						
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	Height (mm)	Price			
	30	17	37	180				
	50	22	51	200				
	100	22	60	200				

 3121	RG3121	MICRO CONICAL FLASK						
	Capacity (ml)	O.D. of neck (mm)	O.D. of bulb (mm)	Height (mm)	Price			
	5	14	25	50				
	10	15	30	55				
	25	22	42	70				

 3241	RG3241	MICRO CENTRIFUGE TUBE						
	Capacity (ml)	O.D. (mm)	Height (mm)	Price				
	5	14	90					

 3243	RG3243	MICRO SEPARATORY FUNNEL pear shape						
	Capacity (ml)	Ground mouth	O.D. of funnel (mm)	Length (mm)	Price			
	10	39734	26	126				
	20	39734	35	135				

 5001	RG5001 BOILING FLASK round bottom,short neck						
	Standard ground mouth						
	Capacity (ml)	Ground mouth	O.D.of bulb (mm)	Height (mm)	Price		
	5	39740	27	56			
	5	14/23	27	60			
	10	39740	33	66			
	10	14/23	33	68			
	25	39740	41	70			
	25	14/23	41	75			
	25	19/26	41	79			
	50	14/23	53	88			
	50	19/26	53	94			
	50	24/29	53	97			
	50	29/32	53	105			
	100	14/23	65	100			
	100	19/26	65	106			
	100	24/29	65	109			
	100	29/32	65	117			
	150	19/26	76	117			
	150	24/29	76	120			
	250	19/26	88	134			
	250	24/29	88	139			
	250	29/32	88	145			
	500	19/26	110	158			
	500	24/29	110	161			
	500	29/32	110	167			
	500	34/35	110	170			
	1000	19/26	140	188			
	1000	24/29	140	196			
	1000	29/32	140	199			
	1000	34/35	140	202			
	2000	24/29	175	231			
	2000	29/32	175	234			
	2000	34/35	175	237			
	3000	29/32	199	281			
	3000	34/35	199	284			
	3000	40/38	199	287			
	5000	40/38	235	333			
	5000	50/42	235	337			
	10000	50/42	297	410			
	10000	60/46	297	414			


 5002	RG5002 BOILING FLASK round bottom,,long neck						
	Standard ground mouth						
	Capacity (ml)	Ground mouth	O.D.of bulb (mm)	Height (mm)	Price		
	50	14/23	53	130			
	50	19/26	53	130			
	50	24/29	53	130			
	100	19/26	65	145			
	100	24/29	65	145			
	250	24/29	88	165			
	250	29/32	88	165			
	500	24/29	110	210			
	500	29/32	110	210			
	1000	24/29	140	250			
	1000	29/32	140	250			
	2000	24/29	175	310			
	2000	29/32	175	310			
	3000	34/35	199	360			
	3000	40/38	199	360			
	5000	45/40	235	380			
	5000	50/42	235	380			
	10000	50/42	297	550			
	10000	60/46	297	550			


 5003	RG5003 FLASK oblique shape,with two necks						
	Standard ground mouth						
	Capacity (ml)	Middle ground mouth	Side ground mouth	Height (mm)	Price		
	100	19/26	14/23	106			
	100	24/29	14/23	109			
	250	19/26	14/23	134			
	250	24/29	14/23	139			
	250	24/29	19/26	139			
	250	29/32	14/23	145			
	250	29/32	19/26	145			
	500	19/26	14/23	158			
	500	24/29	14/23	161			
	500	24/29	19/26	161			
	500	29/32	14/23	167			
	500	29/32	19/26	167			
	1000	24/29	14/23	196			
	1000	24/29	19/26	196			
	1000	24/29	24/29	196			
	1000	29/32	14/23	200			
	1000	29/32	19/26	200			
	1000	29/32	24/29	200			
	2000	24/29	19/26	231			
	2000	24/29	24/29	231			
	2000	29/32	19/26	234			
	2000	29/32	24/29	234			

 5004	RG5004 FLASK oblique shape,with three necks						
	Standard ground mouth						
	Capacity (ml)	Middle ground mouth	Side ground mouth	Height (mm)	Price		
	100	19/26	14/23	106			
	250	19/26	14/23	134			
	250	19/26	19/26	134			
	250	24/29	14/23	139			
	250	24/29	19/26	139			
	250	24/29	24/29	139			
	250	29/32	14/23	145			
	250	29/32	19/26	145			
	500	19/26	14/23	158			
	500	19/26	19/26	158			
	500	24/29	14/23	161			
	500	24/29	19/26	161			
	500	24/29	24/29	161			
	500	29/32	14/23	167			
	500	29/32	19/26	167			
	1000	19/26	14/23	188			
	1000	19/26	19/26	180			
	1000	24/29	14/23	196			
	1000	24/29	19/26	196			
	1000	24/29	24/29	196			
	1000	29/32	14/23	200			
	1000	29/32	19/26	200			
	1000	29/32	24/29	200			
	1000	29/32	29/32	200			
	2000	24/29	24/29	231			
	2000	29/32	19/26	234			
	2000	29/32	24/29	234			
	2000	29/32	29/32	234			
	3000	29/32	24/29	281			
	3000	34/35	24/29	284			
	5000	40/38	24/29	333			
	5000	50/42	24/29	337			

 5005	RG5005	FLASK straight shape						
		Standard ground mouth						
	Capacity (ml)	Middle ground mouth	Side ground mouth	Height (mm)	Price			
	250	19/26	14/23	134				
	250	19/26	19/26	134				
	250	24/29	14/23	139				
	250	24/29	19/26	139				
	250	24/29	24/29	139				
	250	29/32	14/23	145				
	500	19/26	14/23	158				
	500	19/26	19/26	158				
	500	24/29	14/23	161				
	500	24/29	19/26	161				
	500	24/29	24/29	161				
	500	29/32	14/23	167				
	1000	24/29	14/23	196				
	1000	24/29	19/26	196				
	1000	24/29	24/29	196				
	1000	29/32	24/29	200				
	1000	29/32	29/32	200				
	2000	24/29	24/29	231				
	2000	29/32	24/29	234				
	2000	29/32	29/32	234				
	2000	34/35	24/29	237				
	3000	29/32	24/29	281				
	3000	34/35	24/29	284				
	5000	40/38	24/29	333				

 5006	RG5006	FLASK with four necks						
		Standard ground mouth						
	Capacity (ml)	Middle ground month	Side ground mouth	Straight ground mouth	Height (mm)	Price		
	500	24/29	19/26	14/23	161			
	500	24/29	19/26	19/26	161			
	500	24/29	24/29or19/26	14/26	161			
	500	29/32	24/29or19/26	14/26	167			
	500	29/32	24/29	14/26	167			
	1000	24/29	19/26	14/23	196			
	1000	24/29	19/26	19/26	196			
	2000	24/29	19/26	19/26	231			
	2000	29/32	24/29or19/26	14/23	234			
	3000	29/32	24/29	14/23	281			
	3000	34/35	24/29	14/23	284			
	3000	34/35	24/29or19/26	19/26	284			
	5000	40/38	29/32or24/29	14/23	333			

 5007	RG5007	BOILING FLASK flat bottom,short neck						
		Standard ground mouth						
	Capacity (ml)	Ground mouth	O.D.of bulb (mm)	Height (mm)	Price			
	25	14/23	41	70				
	50	14/23	53	88				
	50	19/26	53	94				
	100	14/23	65	100				
	100	19/26	65	106				
	100	24/29	65	109				
	150	19/26	76	117				
	150	24/29	76	120				
	250	19/26	88	134				
	250	24/29	88	139				
	500	19/26	110	158				
	500	24/29	110	161				
	500	29/32	110	167				
	1000	24/29	140	196				
	1000	29/32	140	199				
	2000	29/32	175	234				
	2000	34/35	175	237				
	5000	34/35	235	320				

 5008	RG5008	BOILING FLASK flat bottom,long neck						
		Standard ground mouth						
	Capacity (ml)	Ground mouth	O.D.of bulb (mm)	Height (mm)	Price			
	50	19/26	53	120				
	100	19/26	65	140				
	250	19/26	88	160				
	250	24/29	88	160				
	500	24/29	110	200				
	500	29/32	110	200				
	1000	24/29	140	250				
	1000	29/32	140	250				
	2000	29/32	175	300				

 5009	RG5009	CONICAL FLASK						
		Standard ground mouth						
		Capacity (ml)	Ground mouth	O.D.of bottle (mm)	Height (mm)	Price		
		5	39740	25	50			
		5	14/23	25	50			
		10	39740	32	60			
		10	14/23	32	60			
		10	19/26	32	60			
		25	39740	42	65			
		25	14/23	42	70			
		25	19/26	42	75			
		50	14/23	51	85			
		50	19/26	51	85			
		50	24/29	51	90			
		100	14/23	64	105			
		100	19/26	64	105			
		100	24/29	64	105			
		100	29/32	64	105			
		150	19/26	71	115			
		150	24/29	71	115			
		250	19/26	85	135			
		250	24/29	85	135			
		250	29/32	85	128			
		250	34/35	85	128			
		500	19/26	105	170			
		500	24/29	105	170			
		500	29/32	105	165			
		500	34/35	105	160			
		1000	24/29	131	210			
		1000	29/32	131	210			
		1000	34/35	131	210			
		2000	29/32	166	275			
		2000	34/35	166	275			


 5010	RG5010	FILTERING FLASK						
		Standard ground mouth						
		Capacity (ml)	Ground mouth	O.D.of bottle (mm)	Height (mm)	Price		
		10	39740	32	60			
		10	14/23	32	60			
		25	39740	42	70			
		25	14/23	42	70			
		50	14/23	51	85			
		50	19/26	51	85			
		100	19/26	64	105			
		100	24/29	64	105			
		250	24/29	85	135			
		250	29/32	85	135			
		500	24/29	105	170			
		500	29/32	105	170			
		1000	24/29	131	210			
		1000	29/32	131	210			


 5011	RG5011	FLASK eggplant shape						
		Standard ground mouth						
	Capacity (ml)	Ground mouth	O.D.of bulb (mm)	Height (mm)	Price			
	5	39740	26	50				
	10	39740	30	70				
	10	14/23	30	70				
	25	39740	39	80				
	25	14/23	39	80				
	25	19/26	39	80				
	50	14/23	51	100				
	50	19/26	51	100				
	50	24/29	51	100				
	50	29/32	51	100				
	100	14/23	60	110				
	100	19/26	60	110				
	100	24/29	60	110				
	100	29/32	60	110				
	250	19/26	81	140				
	250	24/29	81	140				
	250	29/32	81	140				
	500	24/29	101	170				
	500	29/32	101	170				
	1000	24/19	125	210				
	1000	29/32	125	210				


 5012	RG5012	FLASK eggplant shape, long neck						
		Standard ground mouth						
	Capacity (ml)	Ground mouth	O.D.of bulb (mm)	Height (mm)	Price			
	25	14/23	40	140				
	50	14/23	52	190				
	50	19/26	52	190				
	100	19/26	60	220				
	100	24/29	60	220				
	250	19/26	82	270				
	250	24/29	82	270				
	500	24/29	107	310				
	500	29/32	107	310				
	1000	29/32	130	370				

 5013	RG5013	FLASK pear shape						
		Standard ground mouth						
	Capacity (ml)	Ground mouth	O.D.of bulb (mm)	Height (mm)	Price			
	10	39740	30	76				
	10	14/23	30	79				
	25	39740	40	90				
	25	14/23	40	93				
	25	19/26	40	95				
	50	14/23	50	108				
	50	19/26	50	110				
	100	14/23	60	118				
	100	19/26	60	121				


 5014	RG5014	FLASK pear shape,with two necks						
		Standard ground mouth						
	Capacity (ml)	Middle ground mouth	Side ground mouth	O.D.of bulb (mm)	Height (mm)	Price		
	25	39740	39740	40	102	102		
	25	14/23	14/23	40	108	108		
	25	19/26	14/23	40	110	110		
	50	39740	39740	50	112	112		
	50	14/23	14/23	50	118	118		
	50	19/26	14/23	50	120	120		
	100	14/23	14/23	60	128	128		
	100	19/26	14/23	60	132	132		
	100	19/26	19/26	60	132	132		

 5015	RG5015	FLASK pear shape,with three necks						
		Standard ground mouth						
	Capacity (ml)	Middle ground mouth	Side ground mouth	O.D.of bulb (mm)	Height (mm)	Price		
	25	39740	39740	40	103			
	25	14/23	14/23	40	107			
	50	39740	39740	50	113			
	50	14/23	14/23	50	117			
	50	19/26	14/23	50	120			
	100	14/23	14/23	60	127			
	100	19/26	19/26	60	130			
	100	19/26	14/23	60	130			


 5016	RG5016	DISTILLING FLASK pear shape						
		Standard ground mouth						
	Capacity (ml)	Middle ground mouth	Oblique stopper	O.D.of bulb (mm)	Height (mm)	Price		
	25	39740	39740	40	130			
	25	14/23	14/23	40	134			
	50	39740	39740	50	140			
	50	14/23	14/23	50	143			
	50	19/23	19/26	50	146			
	100	14/23	14/23	60	163			
	100	19/26	19/26	60	166			


 5017	RG5017	DISTILLING FLASK pear shape						
		Standard ground mouth						
	Capacity (ml)	Middle ground mouth	Side ground mouth	Oblique stopper	O.D.of bulb (mm)	Height (mm)	Price	
	10	39740	39740	39740	30	126	126	
	10	14/23	14/23	14/23	30	140	140	
	25	39740	39740	39740	40	140	140	
	25	14/23	14/23	14/23	40	158	158	
	50	39740	39740	39740	50	158	158	
	50	14/23	14/23	14/23	50	176	176	
	100	14/23	14/23	14/23	60	192	192	

 5018	RG5018	DISTILLING FLASK pear shape,with thorn tube						
		Standard ground mouth						
	Capacity (ml)	Middle ground mouth	Side ground mouth	Oblique stopper	O.D.of bulb (mm)	Height (mm)	Price	
	10	39740	39740	39740	30	198		
	10	14/23	14/23	14/23	30	228		
	25	39740	39740	39740	40	212		
	25	14/23	14/23	14/23	40	241		
	50	39740	39740	39740	50	222		
	50	14/23	14/23	14/23	50	252		
	50	19/26	19/26	19/26	50	278		
	100	14/23	14/23	14/23	60	262		

 5021	RG5021	CONDENSER straight shape					
		Standard ground mouth					
	Length of jacket (mm)	Cround mouth	Cooling area (dm ²)	length (mm)	Price		
	80	39/40	0.16	165			
	80	14/23	0.16	175			
	150	14/23	0.6	254			
	200	14/23	1	305			
	200	19/26	1	332			
	200	24/29	1	350			
	200	29/32	1	360			
	300	19/26	1.6	432			
	300	24/29	1.6	450			
	300	29/32	1.6	460			
	400	19/26	2.1	535			
	400	24/29	2.1	555			
	400	29/32	2.1	560			
	500	19/26	2.7	632			
	500	24/29	2.7	650			
	500	29/32	2.7	660			
	600	19/26	3.2	735			
	600	24/29	3.2	735			
	600	29/32	3.2	760			

 5021A	RG5021A	CONDENSER air cooling					
		Standard ground mouth					
	Length of jacket (mm)	Cround mouth	Cooling area (dm ²)	length (mm)	Price		
	150	14/23	0.6	250			
	200	19/26	0.95	330			
	200	24/29	0.95	340			
	300	19/26	1.45	430			
	300	24/29	1.45	440			
	400	19/26	2	530			
	400	24/29	2	540			
	500	24/29	2.4	640			

 5022	RG5022	CONDENSER with bulbed inner tube					
		Standard ground mouth					
	Length of jacket (mm)	Cround mouth	Cooling area (dm ²)	length (mm)	Price		
	150	14/23	0.6	235			
	200	14/23	1.1	295			
	200	19/26	1.1	330			
	200	24/29	1.1	350			
	200	29/32	1.1	360			
	300	14/23	1.6	405			
	300	19/26	1.6	430			
	300	24/29	1.6	450			
	300	29/32	1.6	460			
	400	19/26	2.2	530			
	400	24/29	2.2	550			
	400	29/32	2.2	560			
	500	19/26	3	630			
	500	24/29	3	650			
	500	29/32	3	660			
	600	19/26	3.7	730			
	600	26/29	3.7	750			
	600	29/32	3.7	760			



5023

RG5023

CONDENSER with coiled inner tube

Standard ground mouth

Length of jacket (mm)	Cround mouth	Cooling area (dm ²)	length (mm)	Price			
150	14/23	1.2	235				
200	14/23	2.3	295				
200	19/26	2.3	330				
200	24/29	2.3	350				
300	19/26	3.5	430				
300	24/29	3.5	450				
300	29/32	3.5	460				
400	19/26	4.7	530				
400	24/29	4.7	550				
400	29/32	4.7	560				
500	19/26	5.7	630				
500	24/29	5.7	650				
500	29/32	5.7	660				
600	19/26	7.7	730				
600	24/29	7.7	750				
600	29/32	7.7	760				

RG5024

CONDENSER reflux,with coiled inner tube

Standard ground mouth

Length of jacket (mm)	Cround mouth	Cooling area (dm ²)	length (mm)	Price			
150	14/23	2	235				
200	14/23	3.7	295				
200	19/26	3.7	330				
200	24/29	3.7	350				
200	29/32	3.7	360				
300	19/26	5.4	430				
300	24/29	5.4	450				
300	29/32	5.4	460				
400	19/26	7.3	530				
400	24/29	7.3	550				
400	29/32	7.3	560				
500	19/26	9.2	630				
500	24/29	9.2	650				
500	29/32	9.2	660				




5024


RG5024


CONDENSER reflux, with coiled inner tube


Standard ground mouth


Length of jacket (mm)	Cround mouth	Cooling area (dm ²)	length (mm)	Price			
150	14/23	2	235				
200	14/23	3.7	295				
200	19/26	3.7	330				
200	24/29	3.7	350				
200	29/32	3.7	360				
300	19/26	5.4	430				
300	24/29	5.4	450				
300	29/32	5.4	460				
400	19/26	7.3	530				
400	24/29	7.3	550				
400	29/32	7.3	560				
500	19/26	9.2	630				
500	24/29	9.2	650				
500	29/32	9.2	660				


 5025	RG5025	CONDENSER reflux, straight shape					
		Standard ground mouth					
	Length of jacket (mm)	Cround mouth	Cooling area (dm ²)	length (mm)	Price		
	200	19/26	1.5	300			
	200	24/29	1.5	305			
	200	29/32	1.5	315			
	300	19/26	2.4	400			
	300	24/29	2.4	405			
	300	29/32	2.4	415			

 5027	RG5027	CONDENSER double layer, straight shape					
		Standard ground mouth					
	Length of jacket (mm)	Cround mouth	Cooling area (dm ²)	length (mm)	Price		
	200	19/26	3.3	335			
	200	24/29	3.3	345			
	200	29/32	3.3	360			
	300	19/26	4.9	435			
	300	24/29	4.9	445			
	300	29/32	4.9	460			
	400	19/26	6.5	535			
	400	24/29	6.5	545			
	400	29/32	6.5	560			


 5031	RG5031	CONNECTION TUBE with three mouths					
		Standard ground mouth					
	Middle ground mouth	Side ground mouth	Bottom ground stopper	Price			
	19/26	19/26	19/26				
	19/26	19/26	24/29				
	19/26	19/26	29/32				
	24/29	24/29	24/29				
	24/29	24/29	29/32				
	29/32	29/32	29/32				
	29/32	29/32	34/35				
	29/32	29/32	40/38				


 5033	RG5033	CONNECTION TUBE with two mouths					
		Standard ground mouth					
	Middle ground mouth	Side ground mouth	Bottom ground stopper	Price			
	39740	39740	39740				
	14/23	14/23	14/23				
	19/26	19/26	19/26				
	24/29	24/29	24/29				
	24/29	24/29	29/32				
	29/32	29/32	34/35				
	29/32	29/32	40/38				


 5034	RG5034	DISTILLING HEAD					
		Standard ground mouth					
	Upper ground mouth	Side ground mouth	Lower ground stopper	Oblique ground stopper	Price		
	39740	39740	39740	39740			
	14/23	14/23	14/23	14/23			
	14/23	14/23	19/26	19/26			
	14/23	14/23	24/29	24/29			
	19/26	19/26	19/26	19/26			
	24/29	24/29	24/29	24/29			
	29/32	29/32	29/32	29/32			


 5035	RG5035	DISTILLING HEAD						
		Standard ground mouth						
	Middle ground mouth	Side ground mouth	Bottom ground stopper	Price				
	19/26	19/26	19/26					
	19/26	19/26	24/29					
	19/26	19/26	29/32					
	24/29	24/29	24/29					
	24/29	24/29	29/32					
	29/32	29/32	29/32					
	29/32	29/32	34/35					
	29/32	29/32	40/38					


 5036	RG5036	SPLASHPROOF BULB						
		Standard ground mouth						
	Upper ground mouth	Lower ground mouth	Price					
	19/26	19/26						
	19/26	24/29						
	24/29	24/29						
	24/29	29/32						
	29/32	29/32						

 5038	RG5038	DISTILLING HEAD 75° bent						
		Standard ground mouth						
	Straight ground mouth	Oblique ground stopper	Price					
	14/23	14/23						
	19/26	19/26						
	24/29	24/29						
	29/32	29/32						
	24/29	19/26						
	29/32	24/29						


 5039	RG5039	DISTILLING TUBE 105°-75° bent						
		Standard ground mouth						
	Length of tube (mm)	Left ground stopper	Right ground stopper	Price				
	200	19/26	19/26					
	200	24/29	24/29					
	200	29/32	29/32					
	300	19/26	19/26					
	300	24/29	24/29					
	300	29/32	29/32					


 5042	RG5042	DISTILLING HEAD 75°-105°						
		Standard ground mouth						
	Upper ground mouth	Lower ground stopper	Side ground stopper	Price				
	14/23	19/26	19/26					
	14/23	24/29	24/29					
	14/23	29/32	29/32					

 5043	RG5043	DISTILLING HEAD 105°-75°						
		Standard ground mouth						
	Upper ground mouth	Lower ground stopper	Side ground stopper	Price				
	14/23	19/26	19/26					
	14/23	24/29	24/29					
	14/23	29/32	29/32					


 5046	RG5046	DISTILLING HEAD with thorn tube						
		Standard ground mouth						
	Middle ground mouth	Side ground mouth	Main ground stopper	Oblique ground stopper	Length (mm)	Price		
	14/23	14/23	14/23	14/23	215			
	14/23	14/23	19/26	19/26	225			
	14/23	14/23	24/29	24/29	245			

 5049	RG5049	DISTILLING CYLINDER filled type, with helix						
		Standard ground mouth						
	Length of valid tube (mm)	Ground mouth	Ground stopper	Total length (mm)	Price			
	200	19/26	3.3	335				
	200	24/29	3.3	345				
	200	29/32	3.3	360				
	300	19/26	4.9	435				
	300	24/29	4.9	445				
	300	29/32	4.9	460				
	400	19/26	6.5	535				
	400	24/29	6.5	545				
	400	29/32	6.5	560				

 5052	RG5052	RECEIVING TUBE 105°						
		Standard ground mouth						
	Ground mouth	Ground stopper	Price					
	39740	39740						
	14/23	14/23						
	19/26	19/26						
	24/29	19/26						
	24/29	24/29						
	29/32	29/32						


 5053	RG5053	VACUUM RECEIVING TUBE 105°						
		Standard ground mouth						
	Ground mouth	Ground stopper	Price					
	39740	39740						
	14/23	14/23						
	19/26	19/26						
	24/29	19/26						
	24/29	24/29						
	29/32	29/32						

 5054A	RG5054A	VACUUM RECEIVING TUBE						
		Standard ground mouth						
	Ground mouth	Ground stopper	Price					
	39740	39740						
	14/23	14/23						
	14/23	19/26						
	19/26	19/26						
	19/26	24/29						
	24/29	24/29						
	24/29	29/32						
	29/32	29/32						


 5054B	RG5054B	RECEIVING TUBE 105° bent						
		Standard ground mouth						
	Ground mouth	Ground stopper	Price					
	39740	39740						
	14/23	14/23						
	14/23	19/26						
	19/26	19/26						
	19/26	24/29						
	24/29	24/29						
	24/29	29/32						
	29/32	29/32						

 5055	RG5055	ADAPTER 105° bent						
		Standard ground mouth						
	Ground mouth	Ground stopper	Price					
	39740	110						
	14/23	120						
	19/26	130						
	24/29	140						
	29/32	150						


 5055A	RG5055A	ADAPTER straight						
		Standard ground mouth						
	Ground mouth	Ground stopper	Price					
	39740	150						
	14/23	160						
	19/26	163						
	24/29	185						
	29/32	200						

 5056	RG5056	SUCTION ADAPTER						
		Standard ground mouth						
	Ground mouth	Ground stopper	Price					
	39740	39740						
	14/23	14/23						
	14/23	19/26						
	19/26	19/26						
	19/26	24/29						
	24/29	24/29						
	24/29	29/32						
	29/32	29/32						

 5057	RG5057	RECEIVING TEST TUBE						
		Standard ground mouth						
	Ground mouth	O.D.of side tube (mm)	Price					
	14/23	10						
	19/26	12						
	24/29	12						

 5058	RG5058	RECEIVING TUBE						
		Standard ground mouth						
	Upper ground mouth	Oblique ground mouth	Lower ground stopper	Price				
	14/23	14/23	14/23					
	19/26	19/26	19/26					
	24/29	24/29	24/29					
	29/32	29/32	29/32					

 5065	RG5065	STANDARD STOPPER hollow						
		Standard ground mouth						
	Ground mouth	Length (mm)	Price					
	39740	42						
	14/23	50						
	19/26	63						
	24/29	70						
	29/32	73						
	34/35	82						
	40/38	85						
	50/42	90						

 5066	RG5066	JOINT with stopcock						
		Standard ground mouth						
	Ground mouth	O.D.of upper tube (mm)	Price					
	39740	7						
	14/23	8						
	19/26	8						
	24/29	8						
	29/32	8						


 5067	RG5067	ADAPTER STOPPER bent						
		Standard ground mouth						
	Ground mouth	O.D.of upper tube (mm)	Price					
	39740	6						
	14/23	7						
	19/26	8						
	24/29	8						
	29/32	8						

 5069	RG5069	DOUBLE VENT-PLUG						
		Standard ground mouth						
	Ground stopper	Length (mm)	Price					
	39740	30						
	14/23	35						
	19/26	40						
	24/29	45						
	29/32	50						

 5071	RG5071	ADAPTER with two stoppers						
		Standard ground mouth						
	Upper ground stopper	Lower ground stopper	Length of middle tube (mm)	Price				
	39740	39740	70					
	14/23	14/23	70					
	19/26	19/26	80					
	24/29	24/29	80					
	29/32	29/32	90					
	34/35	34/35	100					
	40/38	40/38	100					

 5072	RG5072	ADAPTER with double mouths						
		Standard ground mouth						
	Upper ground mouth	Lower ground mouth	Length of middle tube (mm)	Price				
	39740	39740	85					
	14/23	14/23	95					
	19/26	19/26	110					
	24/29	24/29	110					
	29/32	29/32	130					
	34/35	34/35	130					
	40/38	40/38	130					

 5073	RG5073	ADAPTER with one stopper						
		Standard ground mouth						
	Ground stopper	Length of lower tube (mm)	Price					
	39740	40						
	14/23	40						
	19/26	45						
	24/29	55						
	29/32	60						
	34/35	60						
	40/38	60						

 5074	RG5074	ADAPTER with one ground mouth						
		Standard ground mouth						
	Ground mouth	Length of lower tube (mm)	Price					
	39740	100						
	14/23	100						
	19/26	100						
	24/29	120						
	29/32	120						
	34/35	120						
	40/38	120						


	RG5076	JOINT small mouth and big stopper						
		Standard ground mouth						
	Ground mouth	Ground stopper	Price					
	39740	14/23						
	39740	19/26						
	39740	24/29						
	14/23	19/26						
	14/23	24/29						
	14/23	29/32						
	19/26	24/29						
	19/26	29/32						
	19/26	34/35						
	24/29	29/32						
	24/29	34/35						
	24/29	40/38						
	24/29	50/42						
	29/32	34/35						
	29/32	40/38						
	29/32	50/42						
	29/32	70/51						

	RG5077	JOINT big mouth and small stopper						
		Standard ground mouth						
	Ground mouth	Ground stopper	Price					
	14/23	39740						
	19/26	39740						
	19/26	14/23						
	24/29	39740						
	24/29	14/23						
	24/29	19/26						
	29/32	19/26						
	29/32	24/29						


	RG5081	TRANSMITTING GAS TUBE						
		Standard ground mouth						
	Ground stopper	Length of lower tube (mm)	Price					
	39740	300						
	14/23	300						
	19/26	300						
	24/29	300						
	29/32	300						
5081								


	RG5082	JACKET TUBE used on Thermometer						
		Standard ground mouth						
	Ground stopper	Length of lower tube (mm)	Price					
	14/23	40						
	14/23	100						
	19/26	40						
	19/26	100						
	24/29	40						
5082								


	RG5098	DRYING TUBE straight shape						
		Standard ground mouth						
	Ground mouth	Length (mm)	Price					
	39740	172						
	14/23	175						
	19/26	178						
	24/29	181						
5098								

	RG5099	DRYING TUBE oblique shape						
		Standard ground mouth						
	Ground stopper	Total length (mm)	Price					
	39740	150						
	14/23	150						
	19/26	150						
	24/29	150						
5099								

 5100	RG5100	SEPARATORY FUNNEL globe shape						
		Standard ground mouth						
	Capacity (ml)	Ground mouth	Ground stopper	Length (mm)	Price			
	125	14/23	14/23	180				
	125	19/26	19/26	195				
	125	19/26	24/29	203				
	250	19/26	19/26	210				
	250	24/29	24/29	220				
	250	24/29	29/32	226				
	500	24/29	24/29	243				
	500	24/29	29/32	248				


 5101	RG5101	SEPARATORY FUNNEL cylindrical shape						
		Standard ground mouth						
	Capacity (ml)	Ground mouth	Ground stopper	Length (mm)	Price			
	10	39740	39740	148				
	25	39740	39740	175				
	25	14/23	14/23	186				
	50	14/23	14/23	213				
	50	19/26	19/26	220				
	50	24/29	24/29	230				
	100	14/23	14/23	230				
	100	19/26	19/26	240				
	100	24/29	24/29	250				
	250	19/26	19/26	260				
	250	24/29	24/29	270				
	250	24/29	29/32	273				
	500	24/29	24/29	317				
	500	24/29	29/32	320				
	1000	29/32	29/32	370				

 5102	RG5102	FUNNEL 60°						
		Standard ground mouth						
	O.D. of mouth (mm)	Ground stopper	Price					
	30	39740						
	40	39740						
	40	14/23						
	40	19/26						
	60	14/23						
	60	19/26						

 5103	RG5103	SEPARATORY FUNNEL Constant pressure						
		Cylindrical shape, standard ground mouth						
	Capacity (ml)	Ground mouth	Ground stopper	Length (mm)	Price			
	100	19/26	19/26	280				
	100	24/29	24/29	286				
	250	19/26	19/26	305				
	250	24/29	24/29	310				
	250	29/32	29/32	322				

	RG1291	GLASS TUBE 95 & GG17						
	O.D. (mm)	Thickness (mm)	Length (mm)	Price				
	39609	0.5-1.5	1500					
	11-40	1.5-2.5	1500					
	41-60	39481	1500					
	60-100	39481	1500					

	RG1292	CAPILLARY						
	O.D. (mm)	I.D. (mm)	Length (mm)	Price				
	6-8	0.5-1	1000					
	6-8	39449	1000					
	6-8	39481	1000					

	RG1293	GLASS ROD						
	O.D. (mm)	Length (mm)	Price					
	6-10	1000						
	11-20	1000						
	Remark: products of particular specifications can also be made to order							

	RG7101	MICROSCOPE SLIDE ground edges						
	Size (mm)	Thickness (mm)	Boxes per case	Pieces per box	Price			
	25.4 × 76.2 (1 " × 3 ")	0.8-1.2	50	50/72				

	RG7102	MICROSCOPE SLIDE unground edges						
	Size (mm)	Thickness (mm)	Boxes per case	Pieces per box	Price			

	RG7103	MICROSCOPE SLIDE single concave, Ground edges						
	Size (mm)	Thickness (mm)	Boxes per case	Pieces per box	Price			
	25.4 × 76.2 (1 " × 3 ")	0.8-1.2	50	72				
	25.4 × 76. (1 " × 3 ")	1.2-1.3	50	50				

	RG7104	MICROSCOPE SLIDE double concave, Ground edges						
	Size (mm)	Thickness (mm)	Boxes per case	Pieces per box	Price			
	25.4 × 76.2 (1 " × 3 ")	1.2-1.3	50	50/72				

	RG7105	MICROSCOPE SLIDE frosted						
	Size (mm)	Thickness (mm)	Boxes per case	Pieces per box	Price			
	25.4 × 76.2 (1 " × 3 ")	1.2-1.3	50	50/72				

 7107	RG7107	MICROSCOPE SLIDE						
		Frosted one end on both sides						
	Size (mm)	Thickness (mm)	Boxes per case	Pieces per box	Price			
	25.4 × 76.2 (1 " × 3 ")	1.2-1.3	50	72				

 7201	RG7201	COVER GLASS						
	Size (mm)	Thickness (mm)	Boxes per case	Pieces per box	Price			
	18 × 18	0.13-0.17	400	100/200				
Remark: products of particular specifications can also be made to order								